








Our new 2.4L Turbo Diesel Engine

Experience powerful acceleration and responsive performance with 135kW power and 430N·m torque.











Super Select 4WD-II

MITSUBISHI MOTORS' one and only Super Select 4WD-II system provides exceptional all-terrain performance which includes 4H (full-time 4WD) that delivers great stability even on wet surfaces, and outstanding cornering performance even on dry pavement.











Active Stability and Traction Control [ASTC]

ASTC applies brake force while cornering to maintain vehicle stability and optimise traction to prevent torque loss. The system adjusts engine output and applies brake force to spinning wheels as needed.



Active Limited Slip Differential (Brake Control Type)

Helps prevent wheel spin on slippery roads by applying brake force to spinning wheels, ensuring better control and road grip.




Active Yaw Control [AYC]

The AYC system helps you precisely handle slippery roads with gravel and snow, turning the car just as you want – an exciting driving experience for those who enjoy sporty or off-road driving.








Hill Start Assist [HSA]

HSA helps prevent rolling backward on steep slopes by maintaining braking force for up to two seconds after the brake is released. This helps ensure a safe start until the accelerator is applied.



Hill Descent Control [HDC]

HDC applies brakes and maintains speed when travelling downhill for safer steering without manual brake application. Activates at 2-20 km/h in automatic, and in 1st gear at 3-20 km/h in manual vehicles.





Completely Redesigned Suspension System

The completely redesigned front and rear suspension systems enhance driving performance and comfort by providing superior handling on various road types.



New Chassis Frame

The chassis frame is built with high-tensile materials to withstand tough terrain and ensure reliable performance in any condition. It's the foundation of outstanding driving performance and ride comfort on any terrain.







8-inch Infotainment System

Enjoy a stress-free and enjoyable time with the intuitive and convenient 8-inch infotainment system that comes with smartphone connectivity and an easy-to-see display.

Combination Meter

The new 7-inch multi-information display puts all the necessary information in front of you, allowing you to easily understand the vehicle's status at a glance. The new meter display also makes recognition effortless.





MAPS · MUSIC · PHONE · Siri · MESSAGES · APPS

Note: Apple CarPlay is a trademark of Apple Inc.,registered in the U.S. and other countries.

For more information: www.apple.com/ios/carplay/



MAPS · MUSIC · PHONE · GOOGLE ASSISTANT · MESSAGES · APPS

Note: Google, Google Assistant, Android, Android Auto and other related marks are trademarks of Google LLC.

For more information: www.android.com/auto/



TIETH

Enjoy enhanced comfort during long rides with the newly designed seats inspired by our rally heritage. The seats provide excellent body support, allowing you to focus on driving and enjoy the journey.

Stay cool and comfortable even on hot days with the improved A/C system. The front A/C unit provides exceptional cooling performance to keep you refreshed during your drive. Plus, the rear air circulator keeps passengers comfortable with airflow adjustable to their personal preferences.



User-Friendly Components

The interior is designed to enhance your driving experience with user-friendly components that are intuitive to use, with every detail crafted with your comfort and convenience in mind.



Comfortable and Easy-to-Grip Steering Wheel



Thumb rest area when gripping softly



Secure grip for fingers



Perfect fit for finger



Perfect fit for finger

Glove-Friendly and Intuitive Air Conditioning Switches

Soft-to-Touch and 3D-Shaped Intuitive Door Handles

Convenient Tech and Storage Solutions

Make your drive convenient and enjoyable with an interior equipped with tech and storage solutions. Stay organised with ample storage space for all your items.



Smartphone Wireless Charger

Rear USB Ports (A&C Type)

Upper Glove Box

Big and Practical Cargo Space

Easily carry all your essentials, including a euro pallet, with the versatile cargo bedIt's designed to handle everything you need and more.



Practical Features



Wide Side Step

Designed to provide slip-resistant footing for safe and easy entry and exit from the vehicle, even in wet or slippery conditions.



2x4 Lumber Attachment

Easily divide your cargo space with the 2x4 lumber attachment.



Rear Bumper Corner Shape

The rear bumper corner allows for more foot space when the tailgate is open, and it has the largest step area in its segment.



Rear Inner Hook Placed Low

Low-placed rear inner hook allows for easy and secure tie-down of loads.





Why Genuine Accessories?

We design and test our genuine accessories to seamlessly integrate with our vehicles for safety, functionality, and durability.
Our accessories comply with regional regulations and are available globally, thanks to our strong development, procurement, and Japanese manufacturing tradition.



DESIGN

We design and develop our genuine accessories alongside our vehicles to ensure they harmoniously and seamlessly integrate with the vehicle's original design.



SAFETY

We rigorously test all our genuine accessories to meet safety standards and ensure they work seamlessly with the vehicle's advanced safety equipment.



DURABILITY

We test our genuine accessories under various conditions for durability, which is essential for safety. If any issues arise, we analyse them to improve both the accessories and the vehicle itself.



FUNCTIONALITY

We design our accessories to improve vehicle functionality and meet regional requirements, whilst also considering how they work with advanced safety features.

Note: These accessories are not covered by the vehicle warranty and are subject to the conditions of the accessory warranty. For warranty conditions regarding these accessories, please contact an authorised MITSUBISHI MOTORS dealer Some equipment may vary by market. Please consult your local MITSUBISHI MOTORS dealer/distributor for details.

VARIATIONS

DOUBLE CAB

[2WD] 6AT [4WD] 6MT / 6AT



DOUBLE CAB

GL

[4WD] 5MT



SINGLE CAB

[2WD] 5MT [4WD] 5MT







Leather

Image shows AT model (2WD)





Fabric (with stitch)





Note: Vehicles with genuine leather seats use synthetic leather for parts of the seat surface, sides, backside, headrest, rear centre armrest, and door trim fabric. Some equipment may vary by market. Please consult your local MITSUBISHI MOTORS dealer/ distributor for details.

Vinyl

Image shows MT model (4WD)

BODY COLOUR



Yamabuki Orange Metallic [M14]



Graphite Gray Metallic [U28]



Blade Silver Metallic [U33]



Impulse Blue Metallic [D23]



White Solid [W19]



White Diamond [W85]

	Single Cab	Double Cab
Yamabuki Orange Metallic [M14]	-	
Graphite Gray Metallic [U28]		
Blade Silver Metallic [U33]		
Impulse Blue Metallic [D23]	-	
White Solid [W19]		-
White Diamond [W85]		

SEAT MATERIALS



Vinyl



Fabric (with stitch)



Leather

	Single Cab	Double Cab
Vinyl		-
Fabric (with stitch)	-	
Leather	-	

Note: Colours shown may differ slightly from actual colours due to printing process. Please consult your local MITSUBISHI MOTORS dealer/distributor for actual colours. Leather seats include synthetic leather on the sides, rear, partial seating surfaces and head restraint (also on rear centre armrest sides, door armrests and door trim, etc.). Some equipment may vary by market. Please consult your local MITSUBISHI MOTORS dealer/distributor for details.

Single Cab Standard and Optional Equipment

Standard

— Not available

Optional



Models		GL	GL
Engine Detail		2.4L DI-SC	2.4L DI-SC
Туре		2WD	4WD
Transmission Type		Manual	Manual
General			
Transmission Type		5 speed	5 speed
Max. Output:		81kW@4000rpm	81kW@4000rpm
Max. Torque:		200Nm@1000-3750rpm	200Nm@1000-3750rpm
Engine Type:		DOHC Intercooled	DOHC Intercooled
Ground Clearance:		200mm	221mm
Fuel System:		Common Rail Direct Injection	Common Rail Direct Injection
Fuel Tank Capacity:		75L	75L
Drivetrain and Chassis			
2WD		•	-
Easy Select 4WD		-	•
Super select 4WD-II		-	-
Rear differential lock (w	ithout limited slip differential)	-	-
Front suspenstion (Doub	ole wishbone with coil spring)		
Rear suspension (Nomal		-	-
Rear suspension (Elliptic		•	
Rear suspension (Heavy			
	rake, 2-pot (diameter: 275mm)	•	- -
	rake, 2-pot (diameter: 290mm)	-	•
	rake, 2-pot (diameter: 320mm)	-	-
Rear drum brake (10-inc		•	- -
Rear drum brake (11,6-in		-	•
Tyre and Wheel	195R15C 8PR 106/104R with 16-inch steel wheels (Silver)	•	-
	205R16C 8PR 110/108R with 16-inch steel wheels (Silver)	-	•
	265/60R18 (All-season tyre with 18-Inch alloy wheels (Silver) Spare: 265/60R18 (All-season) tyre + 18-Inch alloy wheel (Silver)	-	-
Driving Performance			
Drive Mode	1	-	-
Active Yaw Control [AYC]	I		- -
Hill Start Assist [HAS]		•	•
Exterior			
Windscreen glass (Laminated glass with U'	V ray reduction)	•	
Front bumper	Material black	•	•
	Gloss black	-	-
Front bumper garnish	Chrome	-	-
Front fog light bezel	Chrome	-	-
Front grille	Material black		-
	Colour-keyed	-	-
Wiper	Front windsrcean Variable Intermitted wiper (2-speed)	•	•
	Rain-sensing windscreen wiper	-	-
Windscreen washer (Noz	zzle type)	•	•
Rear window defogger w	vith timer	-	-
Side step	Material black	_	-
	Sliver painted	-	-
Side door garnish (Mater	·	•	
Outer door handle	Material black	-	-
2001 Hallale	Chrome	-	-
			- -
Door mirror	Electrically adjustable		-
	Heated Power folding mirror	_	_
	Material black	•	•
	Chrome	-	-

odels		GL	GL	
gine Detail		2.4L DI-SC	2.4L DI-SC	
pe		2WD	4WD	П
ansmission Type		Manual	Manual	
terior				
ear body guard frame		-		
ear bumper		-	-	
ear spoiler		-	-	
ear gate handle	Bar type			
	Pull-up type	-	-	
	Material black	-	-	
	Chrome	-	-	
ear gate lock		-	-	
argo bed	Outer hook x12			
•	Inner hook x4		-	
owing hook (Front)		-	-	
ckpit		_		
	y 3.5-inch colour LCD display		-	
a.c. mormation displa	7-inch colour LCD display	-	-	
rethane steering wheel			- -	
	ng wheel (3-spoke type)	-		
It and telescopic steer				
			-	
earshift Knob (Leather-		-	-	
	thetic leather with stitch)	_	_	
arking brake lever		-	_	
elease switch	Material	•	•	
-1	Chrome	-	-	
at eat material	Vinyl		•	
eat material	Fabric with stitch	-	-	
	Leather	_	_	
river seat	Manual adjustable seat			
	(Sliding, reclining)			
	Manual adjustable seat (Sliding, reclining, single-height, lever type)	-	-	
	Power seat (Sliding, reclining			
	double-height, lumbar support)	-	-	
assenger seat	Manual adjustable seat (Sliding, reclining)			
eatback pocket with m		-	-	
ont seat height adjast	able headrest			
ear centre armrest (wit	h cup hoder)	-	-	
terior				
strument panel accent	Material back	•	•	
	Synthetic leather wrapped without stitch	-	-	
pper glove box	without lid	-	-	
	with lid	-	-	
ower glove box		-	-	
oor console	Material Black	-	-	
	Colour-keyed	-	-	
oor console box	with lid	-	-	
	with lid (Synthetic leather)	-	-	
up holder for floor cons			-	
entral door locking sys		-	-	
need sensing automation	central door lock	-	•	
nild safety lock		-	-	
emote keyless entery	ת [עמק]		-	
eyless Operation Syste	m [KOS] Material black	-	-	

Models		GL	GL
ingine Detail		2.4L DI-SC	2.4L DI-SC
Гуре		2WD	4WD
ransmission Type		Manual	Manual
nterior			
Front door armrest	Material black	•	•
	Synthetic leather without stitch	-	-
	Synthetic leather with stitch	-	-
Power window switch	h panel (Material black)	-	
Driver side door pow (Auto up/down and a		-	•
Passenger side and re (Up and down)	ear door power window switch	-	-
Key-off timer fuction	1	-	•
Room light	Front (Bulb)	-	-
	Rear (Bulb)	-	-
Front map light (Bulb	o)	-	•
Sunglass pocket		-	•
Floor carpet	Vinyl		-
	Needle punch	-	-
Sunvisor x2	Vanity mirror with lid and ticket holder (Driver's side)	=	-
	Vanity mirror with lid		
	(Passenger's side)	-	-
Dimming rearview mi	irror	-	-
Air Conditioner			
Manual air conditioni	ing		-
Automatic air condit	ioning	-	-
Dual-zone automatic	air conditioning	-	-
Rear air circulator		-	-
afety and Security			
Active Stability and 1	Traction Control [ASTC]	•	•
Emergency Stop Sign		•	•
Brake override syste			-
Anti-lock Braking sys		•	
Electronic Brake forc	e Distribution [EBD]	-	_
Brake assist system	4 and sons)	•	•
Parking sensor (Front Cruise Control	t and rear)	-	-
Hill Descent Control (HDC)		
Immobiliser		_	_
Passive safety	SRS airbag (Driver, passenger)	_	_
Passive safety	SRS airbag (Driver, passenger,	_	_
,	drivers knee) SRS airbag (Driver, passenger,	-	-
	Side (fr), Curtain (Fr and Rr), Knee (driver)	-	-
	Passenger SRS airbag cut-off switch (Manual)	-	-
	Front 3-point seat belt with Emergency Locking Retractor [ELR]	-	•
	Double pretensioner (Driver) and pretensioner (Passenger)	-	-
	Height adjustable front seatbelt anchor	-	-
	Rear seat 3-point seatbelt with ELR	-	-
	ISO-FIX Child restraint seat anchor and tether anchor Rear x2	-	-
lavigation and Audi	0		
Smartphone-link Dis	play Audio [SDA] (8-inch WVGA display)	-	-
AM/FM radio with Blu	uetooth® wireless technology	-	

Single Cab Standard and Optional Equipment




Not available






1odels		GL	GL
ingine Detail		2.4L DI-SC	2.4L DI-SC
'ype		2WD	4WD
ransmission Type		Manual	Manual
lavigation and Audio			
Speaker	2-Speaker	_	
	4-Speaker	-	-
	6-Speaker	_	-
Hands-free phone and vo	ice recognition	_	_
Steering wheel audio con		_	-
ighting and Visibility			<u>-</u>
Halogen headlight		<u>_</u>	_
LED headlight (High/low l		-	-
Auto light system with of		-	-
LED Daytime Running lam	ıps [DRL]	-	-
Front turn signal (Bulb)		•	
Side turn signal	Bulb type on bumper	•	•
	LED on door mirror	-	-
Position (Clearance) light			
	LED	-	-
Front fog light (LED)		-	-
Rear fog light (LED)		-	-
Stop light	Bulb		
	LED	-	-
Tail light	Bulb	•	
	LED	-	-
Rear turn signal	Bulb	•	
	LED	-	-
Back-up light (Bulb)		•	
License plate light (Bulb)		•	
LED high-mount stop ligh	it	-	
Welcome light		-	-
Coming home light		_	-
Convenience			
12V power outlet	Floor console	_	-
• • • • • • • • • • • • • • • • • • • •	Instrument panel	_	
USB port for charging x2		_	<u>-</u>
Rearview camera		_	_
Monitor with Moving Obje	ect Detection [MOD]		
	Second Lines		_
Hands-free phone		-	•
Microphone			•
Wireless charger		-	-
USB charging outlet x2		-	_
Tool set (Simple set, whe	einut wrench) and jack	•	-
1ass & Dimensions			
Tare/Kerb Weight (Kg)		1625	1795
G.V.M (Kg)		2570	2755
G.C.M (Kg) (if applicable)			4100
Length (mm)		5320	5320
Height (mm)		1700	1765
Width (mm)		1865	1865
Wheelbase (mm)		3130	3130

SINGLE CAB (GL 4WD)





Note: •ASTC: The control capabilities of Active Stability and Traction Control [ASTC] are supplemental only. Please drive safely and never rely solely on these functions whilst driving. Be sure to use the same specified type and size of tyres on all 4 wheels. Do not instal any aftermarket limited slip differential on your vehicle. •HSA: Hill Start Assist [HSA] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. Your vehicle may move backwards if the brake pedal is heavily loaded, or if the road is very steep or slippery. This function is not designed to keep the vehicle stopped in place on uphill slopes for more than 2 seconds. Do not rely on this function to maintain a stopped position as an alternative to depressing the brake pedal.
•HDC: Hill Descent Control [HDC] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. When driving on slippery roads such as muddy, icy, or unpaved roads, your vehicle will not allow you to stay at a certain low speed, which may lead to a serious accident.

Drivers are fully responsible for their own safe driving. Please drive safely and do not rely solely on these systems whilst driving. Please see the owner's manual for additional information. If you have any questions, please consult your local MITSUBISHI MOTORS dealer/distributor for details.


Double Cab Standard and Optional Equipment



Models		GL	GLS	GLS	GLS
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Туре		4WD	2WD	4WD	4WD
Transmission Type		Manual	Auto	Manual	Auto
General					
Transmission Type		5 speed	6 speed	6 speed	6 speed
Max. Output:		81kW@ 4000rpm	135kW @3500rpm	135kW @3500rpm	135kW @3500rpm
Max. Torque:		200Nm@1000- 3750rpm	430Nm@2250- 2500rpm	430Nm@2250- 2500rpm	430Nm@2250- 2500rpm
Engine Type:		DOHC Intercooled	DOHC Intercooled Turbo	DOHC Intercooled Turbo	DOHC Intercooled Turbo
Ground Clearance:		221mm	228mm	228mm	228mm
Fuel System:		Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection
Fuel Tank Capacity:		75L	75L	75L	75L
Drivetrain and Chassis					
2WD		-	-	-	-
Easy Select 4WD Super Select 4WD-II			-	-	-
	rithout limited slip differential)	_	-		
	le wishbone with coil spring)		•	-	•
Rear suspension (Nomal	type)		•	•	•
Rear suspension (Elliptic	c leaf spring)				•
Rear suspension (Heavy			-	-	-
	rake, 2-pot (diameter: 290mm)		-	-	-
Rear drum brake (11,6-i	rake, 2-pot (diameter: 320mm)	-	-	-	
Tyre and Wheel		_	_	_	_
Tyre and wheel	205R16C 8PR 110/108R with 16-inch steel wheels (Silver)	-	-	-	-
	265/60R18 (All-season tyre with 18-Inch alloy wheels (Silver) Spare: 265/60R18 (All-season) tyre + 18-Inch alloy wheel (Silver)	-	•	-	•
Driving Performance	tyre . To men anoy wheel (Shver)				
Drive Mode		-	-		
Active Yaw Control [AYC]	-	-	_	
Hill Start Assist [HAS]					
Exterior					
Windscreen glass	M vary va du ation)		•	_	
(Laminated glass with U	Material black		-	_	_
	Gloss black	-			
Front bumper garnish	Chrome	-			
Front fog light bezel	Chrome	-	•		
Front grille	Material black		-	-	-
	Colour-keyed	-			
Wiper	Front windsrceen Variable Intermitted wiper (2-speed)	-	•	-	•
	Rain-sensing windscreen wiper	-	•		-
Windscreen washer (No:	zzle type)		•		•
Rear window defogger v	vith timer		•		•
Side step	Material black				•
Side door garnish (Mate	rial black)		-	-	-
Outer door handle	Material black	•	-	-	-
	Chrome	-	-	-	-
Door mirror	Electrically adjustable		-	-	
	Heated Power folding mirror	-	-	-	-
	Material black Chrome	-	-	-	-
Rear bumper	2 00	•			
Rear spoiler		_	-	-	
			_	_	_


Models		GL	GLS	GLS	GLS
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Гуре		4WD	2WD	4WD	4WD
Fransmission Type		Manual	Auto	Manual	Auto
Exterior					
Rear gate handle	Pull-up type		-	-	-
-	Material black		-	-	-
	Chrome	-	•	•	
Rear gate lock			_	_	_
Cargo bed	Inner hook x4		-	-	-
Towing hook (Front)					
Cockpit					
·		_			
Multi-information display	y (3.5-inch colour LCD display)		_	_	_
	(7-inch colour LCD display)	_			
Urethane steering wheel			-	-	-
Leather-wrapped steerin	g wheel (3-spoke type)	-			
Tilt and telescopic steeri	ng wheel	-			
Gearshift Knob (Leather-	wrapped)	-			
Gearshift lever boot (Syn	thetic leather with stitch)	-			
Parking brake lever		-			
Release switch	Material		-	-	-
	Chrome	-			
Seat					
Seat material	Vinyl	-	-	-	-
	Fabric with stitch		-	-	-
	Leather	-	_	_	-
Driver seat	Manual adjustable seat	_	_	_	_
	(Sliding, reclining)		-	-	-
	Manual adjustable seat (Sliding, reclining, single-height, lever type)	-	-	-	-
	Power seat (Sliding, reclining		_	_	_
	double-height, lumbar support)	-			
Passenger seat	Manual adjustable seat (Sliding, reclining)	-			
Seatback pocket with mu	ltiple pockets (Passenger side)				
Front seat height adjusta	able headrest			•	
Rear centre armrest (with	n cup hoder)			•	
nterior					
	Matarial basis	_	_		_
Instrument panel accent	Synthetic leather wrapped		_	_	_
	without stitch	-			
Upper glove box	without lid		-	-	-
	with lid	-			
Lower glove box		-	-	-	-
Floor console	Material Black	-			
Floor console box	with lid		-	-	-
	with lid (Synthetic leather)	-			
Cup holder for floor cons	ole x2				
Central door locking syst	em				
Speed sensing automatic	central door lock				
Child safety lock			•	•	
Remote keyless entery					
Keyless Operation Systen	n [KOS]	-	•	•	•
Inner door handle	Material black		-	-	-
	Satin chrome	-			
Front door armrest	Material black		_	_	<u>-</u>
Front door armrest			-	-	
Barrer 1 I	Synthetic leather without stitch	_	_		_
Power window switch par					
Driver side door power with (Auto up/down and anti t					


ingine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-[
уре		4WD	2WD	4WD	4WD
ransmission Type		Manual	Auto	Manual	Auto
nterior					
Passenger side and rea (Up and down)	ar door power window switch	•	•		
Key-off timer fuction					
Room light	Front (Bulb)		•		-
	Rear (Bulb)		•		-
Front map light (Bulb)					
Sunglass pocket					
Floor carpet	Vinyl	-	-	-	-
	Needle punch	•	•		-
Sunvisor x2	Vanity mirror with lid and ticket holder (Driver's side)				
	Vanity mirror with lid		_		
Dimming rearriess min	(Passenger's side)	-	-	-	_
Dimming rearview mir	ror	-	-	-	-
Air Conditioner					
Manual air conditionin	g		-	-	-
Automatic air conditio	ning	-			-
Dual-zone automatic a	ir conditioning	-			-
Rear air circulator		-	-	-	-
afety and Security					
Active Stability and Tr	action Control [ASTC]				
Emergency Stop Signa	l system [ESS]				-
Brake override system					-
Anti-lock Braking syst	em [ABS]				-
Electronic Brake force	Distribution [EBD]				
Brake assist system					=
Parking sensor (Front	and rear)	-			-
Cruise Control		-			
Hill Descent Control [H	DC]	-	-		
Immobiliser					-
Passive safety	SRS airbag (Driver, passenger, drivers knee)		-	-	-
	SRS airbag (Driver, passenger, Side (fr), Curtain (Fr and Rr), Knee (driver)	-	-	•	•
	Passenger SRS airbag cut-off switch (Manual)	-			
	Front 3-point seat belt with Emergency Locking Retractor [ELR]	•	•	•	•
	Double pretensioner (Driver) and pretensioner (Passenger)	•	•	•	-
	Height adjustable front seatbelt anchor	-			
	Rear seat 3-point seatbelt with ELR	-	-	•	-
	ISO-FIX Child restraint seat anchor and tether anchor Rear x2	•	•	•	•
lavigation and Audio					
Smartphone-link Displ	ay Audio [SDA] (8-inch WVGA display)	-	•	•	
Smartphone-link Displ Navigation system (9-		-	-	-	-
Speaker	2-speaker		-	-	-
	4-speaker	-	-	-	-
	6 speaker	_			
	6-speaker		_	_	



Models		GL	GLS	GLS	GLS
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Туре		4WD	2WD	4WD	4WD
Transmission Type		Manual	Auto	Manual	Auto
Lighting and Visibility					
Halogen headlight		•	-	-	-
LED headlight (High/low	beam)	-		•	•
Auto light system with o	ff switch	-	-	•	
LED Daytime Running lar	nps [DRL]	-	•	•	-
Front turn signal (Bulb)		•	•	•	•
Side turn signal	Bulb type on bumper	•	-	-	-
	LED on door mirror	-		•	
Position (Clearance) ligh	t Bulb	•	-	-	-
	LED	-	•		•
Front fog light (LED)		-	•		•
Rear fog light (LED)		-	•	•	
Stop light	Bulb	•	-	-	-
	LED	-	•		•
Tail light	Bulb	•	-	-	-
	LED	-	-	•	
Rear turn signal	Bulb LED	-	-	-	-
Back-up light (Bulb)		•	•	•	-
License plate light (Bulb)		-	•	•	-
LED high-mount stop lig	ht	•	•		•
Welcome light		-	•		•
Coming home light		-	-	•	
Convenience					
12V power outlet	Floor console	-	•	•	
	Instrument panel	•	•		•
USB port for charging x2	(Rear console)	-	•	•	•
Rearview camera		-	•	•	•
Hands-free phone		•	•		•
Microphone					
Wireless charger		-	•	•	
USB charging outlet x2		-	•		
Jack and Tool set (Simple	e set, wheelnut wrench)	•	-		
Mass & Dimensions					
Tare/Kerb Weight (kg)		1865	1865	1965	1965
G.V.M (kg)		2755	2980	3000	3000
G.C.M (kg) (if applicable)		4100	6000	6000	6000
Length (mm)		5320	5320	5320	5320
Height (mm)		1775	1795	1795	1795
Width (mm)		1865	1865	1865	1865
Wheelbase (mm)		3130	3130	3130	3130
Towing capacity - braked	d (kg)	-	3500	3500	3500
Towing capacity - unbra	ked (kg)	-	750	750	750


DOUBLE CAB (GLS)





Note: •ASTC: The control capabilities of Active Stability and Traction Control [ASTC] are supplemental only. Please drive safely and never rely solely on these functions whilst driving. Be sure to use the same specified type and size of tyres on all 4 wheels. Do not instal any aftermarket limited slip differential on your vehicle. •HSA: Hill Start Assist [HSA] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. Your vehicle may move backwards if the brake pedal is heavily loaded, or if the road is very steep or slippery. This function is not designed to keep the vehicle stopped in place on uphill slopes for more than 2 seconds. Do not rely on this function to maintain a stopped position as an alternative to depressing the brake pedal. •HDC: Hill Descent Control [HDC] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. When driving on slippery roads such as muddy, icy, or unpaved roads, your vehicle will not allow you to stay at a certain low speed, which may lead to a serious accident.

Drivers are fully responsible for their own safe driving. Please drive safely and do not rely solely on these systems whilst driving. Please see the owner's manual for additional information. If you have any questions, please consult your local MITSUBISHI MOTORS dealer/distributor for details.



Models	GLS	GLS
Engine Detail	2.4L DI-DC	2.4L DI-DC
Туре	2WD	4WD
Transmission Type	Auto	Auto
to an and the state of		

XTREME PACKAGE	
Tailgate assist	
Tailgate lock	
Grill emblem black	
B-pillar foil	
Door handle protector (inner pad stick-on)	
Fender arch molding kit	
Side door moulding kit (bolt in door type)	
Side window deflector	
Tonneau cover black	
Sports bar (black)	
Roof rails	
Door handle outer covers (black with lock/unlock prov)	
Head lamp covers	
Daytime running lamp covers	
Fog lamp covers	
Tail lamp covers	
Mirror covers	
Front bumper chrome covers (clip in bolt style)	
Fuel lid cover	
Xtreme & 4x4 decal combined	
Dunlop AT5 tyres 265/65 R17 - tyres	
Mag wheels - block ET0619317x9	
Wheel spanner	
Load bin rubberrizing	

Models	GLS	GLS
Engine Detail	2.4L DI-DC	2.4L DI-DC
Туре	2WD	4WD
Transmission Type	Auto	Auto
Icons Collection		

Icons Collection	
ATHLETE PACKAGE	
Tailgate assist	
Tailgate lock	
Grill emblem silver	
B-pillar foil	
Door handle protector (inner)	
Fender arch molding kit slimline gloss	
Side window deflector kit	
Securilid - electric roller cover (extra for electric & manual) - optional extra	
Sport bar (black & silver)	
Roof rails	
Door handle outer covers (black)	
Head lamp covers	
Daytime running lamp covers	
Fog lamp covers	
Tail lamp covers	
Mirror covers	
Front bumper chrome covers black off	
Decal athlete	
Dunlop AT5 tyres 265/65 R17 - tyres	
17 Inch black 8.5J mag wheel (Nuts & locating ring)	
T cap mag wheel decal 55mm pack	
Wheel spanner	
Load bin rubberrizing	



