# XPANDER CROSS













## High ground clearance and high driving view

Top-level ground clearance and a high driving position allow confident and comfortable driving on bumpy or uneven roads and a clear view of the road ahead.



Minimum ground clearance: 225mm

### A stable, comfortable ride

Enjoy your drive in comfort.

A reinforced suspension system with
high-performance shock absorbers provides
stable handling and exceptional ride comfort.






#### Spacious luggage room

Enjoy any outdoor activity with the spacious luggage room. The wide opening makes loading and unloading easy for anyone. What's more, convenient compartments and underfloor storage help keep your smaller items organised.









## Convenient storage & power outlets for all passengers

Keep your interior clean and organised with smart storage solutions. With power outlets on every row, all passengers can keep their smartphones, tablets, or other electronic devices charged.



\*DC12V USB adapters not included.



#### Active Stability Control [ASC]


Maintain control on slippery roads and around turns.

ASC automatically adjusts engine output and applies the brakes where needed to prevent skidding when the tyres lose their grip.

#### Anti-lock Brake System [ABS]

Brake safely on slippery roads.

ABS helps the wheels from locking up when braking.




Without ABS

#### Active Stability Control [ASC]:

The control capabilities of ASC are supplemental only. Please drive safely and never rely solely on these functions whilst driving. Be sure to use the same specified type and size of tyres on all 4 wheels. Do not instal any aftermarket limited slip differential on your vehicle.

Anti-lock Brake System [ABS]:
ABS can help the driver maintain control whilst braking,
but is never a substitute for safe driving.
ABS does not always reduce stopping distances,
which may be influenced by many factors
including road surface conditions and friction
between the tyres and road surface.

Please see the owner's manual for additional information.









#### Comfortable, convenient, and enjoyable for all.

The refined and stylish interior comes with convenient and comfortable features that make driving easier and more enjoyable.


The new and easier-to-see 8 inch colour LCD meter is built in the solid and sleek instrument panel that expands from end to end along a sturdy horizontal axis for a clear front view from inside. The new 4 spoke steering wheel with intuitive switches is slightly square-shaped for a more natural and comfortable grip that provides better manoeuvrability.



### Spacious cabin and versatile seating arrangements

Flexible seating configurations provide support for any outdoor activity. Load items easily by folding down the second and third row seats, or fold the second row armrest to store long items.





#### FEATURE HIGHLIGHTS

#### Exterior



LED headlight (High/Low beam)

Both the high and low beams are LED-powered for improved brightness and illumination.



Roof rail

The roof rails painted in black are not only useful for outdoor activities but also create a unique and toughlooking vehicle outline.



17-inch alloy wheel

The redesigned 17 inch alloy wheels come in a grey two-tone colour for a tough and robust look.

#### Mechanism



#### Responsive 1.5L MIVEC engine

The spirited 4-valve DOHC engine with advanced MIVEC\* puts ample power at your command - more than enough to carry seven adults up steep mountain roads with ease. \*Mitsubishi Innovative Valve timing Electronic Control system



#### Comfortable cabin space

To achieve a surprisingly quiet interior, certain areas of the body are covered with highperformance sound absorbing and vibration blocking material.

#### Interior



#### 4-spoke steering wheel

The new steering wheel with intuitive a more natural and comfortable grip that provides better manoeuvrability.



8-inch colour LCD meter

The new 8-inch colour LCD meter is easy to see and understand, and allows switches is slightly square-shaped for screen layout changes. Content can be accessed using the directional switches on the steering wheel.

#### Utility



Tilt and telescopic steering wheel

Enjoy your drive in comfort. The steering wheel can be adjusted up, with a simple switch. When Brake auto down, forwards, and backwards to find hold the ideal driving position for any driver.



Electric parking brake (Brake auto hold)


Turn Electric parking brake on/off

is active, the vehicle will temporarily stay in place even with your foot off the brake pedal.



Digital cooler panel The new digital cooler panel isn't just stylish but intuitive and easy to use.

#### Safety



#### RISE body

RISE (Reinforced Impact Safety Evolution) body helps keep everyone safe in the event of a collision by efficiently absorbing energy and maintaining high cabin integrity.



Driver and passenger SRS airbags

The driver and passenger SRS airbags protect front occupants by absorbing impact force to help keep them safe in frontal collisions.



#### Pretensioners

Pretensioners help reduce frontal impact force in frontal collisions when used with seatbelts. Front seatbelt pretensioners automatically tighten in a collision to help restrain front occupants.



#### Hill Start Assist [HSA]

For peace of mind during stop-and-go uphill driving, HSA maintains braking force until the accelerator is pressed to prevent the vehicle from rolling backwards.



#### Emergency Stop Signal system [ESS]

Prevent being rear-ended. ESS automatically flashes the hazards during sudden braking or when ABS is activated to warn following vehicles.

Hill Start Assist [HSA]: HSA is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. Your vehicle may move backwards if the brake pedal is not sufficiently depressed, if the vehicle is heavily loaded, or if the road is very steep or slippery. This function is not designed to keep the vehicle stopped in place on uphill slopes for more than 2 seconds. Do not rely on this function to maintain a stopped position as an alternative to depressing the brake pedal. Please see the owner's manual for additional information

#### VARIATIONS

## **XPANDER CROSS**

2WD 1.5-Litre 4 AT









### Body colours



Quartz White Pearl (W81)



Blade Silver Metallic (U33)





Sunrise Orange Metallic (M13)



#### STANDARD & OPTIONAL EQUIPMENT

Model MT A	T CROSS
Performance 1.5-litre 4-valve DOHC (4A91)	
195/65R16 +16" Alloy wheel	
205/55R17 +17" Alloy wheel –	
Spare wheel 195/65R16 +16" Steel wheel	-
Spare wheel 205/55R17 +17" Alloy wheel –	
Tool & jack ■	
Exterior	
Front bumper (Colour-keyed)	_
Front bumper garnish (Chrome)	
Front grille (Black paint)  Front grille (Metallic black)	
Front lower garnish (Silver) – –	
Front fog light bezel (Silver) – –	
Side sill garnish (Material black)	
Side door garnish (Silver) – –	
Wheel arch moulding (Material black) – –	•
Roof rail (Black) – –	•
Side window moulding (Chrome)	•
Rear bumper (Colour-keyed)	
Rear lower garnish (Silver) – – Outer door handle (Colour-keyed)	_
Outer door handle (Chrome) – –	
Power folding door mirror with side turn signal	
(Electrically adjustable, chrome)	•
Windscreen glass (Laminated glass with UV ray reduction)	•
Rear window defogger	•
Under cover • •	
Interior	
Electric power steering  Tilt and telescopic steering wheel	_
Tilt and telescopic steering wheel  Leather-wrapped steering wheel (4 spoke type)	
Leather-wrapped gearshift knob – – –	
Gearshift panel with illumination –	
Parking brake lever	
Electric parking brake (Brake auto hold) – –	
Steering switch Audio, hands-free phone,	
voice recognition	-
Audio, hands-free phone, cruise control, – – multi-information display, voice recognition	
Seat material Fabric -	-
High-grade fabric -	•
Manual adjustable driver seat (Sliding, reclining, height (dial type))	•
Passenger seat under tray – –	
Seatback pocket Driver seat -	
Passenger seat • •	
Seatback multiple pocket Driver seat	
Passenger seat	
2nd row seat sliding, reclining, tumble, seatback folding	-
function (60:40 split type)	
Cup holder (2nd row seat centre armrest x 2)	•
3rd row seat reclining function (50:50 split type) and flat luggage mode	-
Door panel accent (Silver)	
Bottle holder	
(Front and rear door trim, quarter trim, both side)	•
Soft pad trim with stitch – –	-
Door pocket (Front door, Rear door)	•
Power window switch panel (Carbon grain) – –	
Front and rear door inner door handle (Chrome) -	_
Dimming rearview mirror	•
Driver sunvisor with ticket holder and vanity mirror (with lid)	
Passenger sunvisor with vanity mirror (with lid)	
Retractable assist grip (Passenger seat x 1,	
2nd row seat x 2, 3rd row seat x 2)	•
8 inch colour LCD meter – –	
Instrument panel tray	
Convenient hook Driver seat	•
Passenger seat	_
Glove box	•
Floor console box with tray (Slide lid type)	
Cup holder (Floor console x 2)	
Scuff plate	_
Rear quarter trim storage	
Front console open tray	
USB port for charging for 2nd row seat	

	ļ	■ Standard	– Not	available
Model		MT	АТ	CROSS
Interior				
Interior Accessory socket (DC12V)	Instrument panel lower	-		
Accessory socket (DC12V)	Floor console box			- :
	Rear quarter trim		•	- :
Floor carnet	Needle punch carpet		•	- :
Floor carpet			:	:
Underfloor luggage area stor Safety & Security	_	•	-	
Rearview camera				
Driver and passenger SRS air				
		-	_	
Front 3-point seatbelt with Emergency Locking Retractor [ELR] with pretensioner x 2			•	•
2nd row seat 3-point seatbe Retractor [ELR] x 3	-	•	•	
3rd row seat 3-point seatbel Retractor [ELR] x 2	-	•	•	
Seatbelt reminder with buzze (Driver seat, passenger seat)	-	•	•	
Lower anchor and tether and (for 2nd row seat) x 2	•			
Child safety lock (Rear door)				
Side impact door beams (Fro	nt door rear door)			
Pedestrian protection				
(Head protection and Leg pro Anti-lock Brake System [ABS		_	_	
Distribution [EBD] Anti-lock Brake System [ABS				
Distribution [EBD] and Brake Active Stability Control [ASC]		•		
Active Stability Control [ASC]				
Hill Start Assist [HSA]	_	_		
Emergency Stop Signal syste	m [ESS]			
Immobiliser	III [E33]			
Anti-theft alarm system				
Manual transmission interloc	k		_	_
Automatic transmission shift		-		
Utility	TOOK THE ROY INCOME			
Rear manual cooler				
4 speaker				
6 speaker		-		
Central door locking system	with centre door locking			
switch Speed sensing automatic cer				
sensitive unlock mechanism Keyless Operation System [K	OS] (Transmitter x 2) with	_		
engine switch Tailgate handle (Electrical sw	itch type)	•		
Power window (Front door, r up/down and anti-trapping f	ear door) with driver auto			
Shark-fin antenna		-	•	•
Cruise control		-	-	
Lighting and Visibility	,			
LED headlight (High/low bear	m)	-	-	•
LED position light		•	•	•
Welcome light	•	•	•	
Coming home light	•	•	•	
LED front fog light	-	-	•	
Rear combination light		•	•	•
LED high-mount stop light	•	•	•	
Room light (Front, rear)		•	•	•
Front windscreen variable int misting function	ermittent wiper with	•	•	•
	per			

'Individuals who use implantable pacemakers or implantable cardioverter-defibrillators should keep away from the Keyless Operation System [KOS]. The electromagnetic waves used in the KOS may affect the operation of implantable pacemakers or implantable

cardioverter-defibrillators.

Individuals using other electro-medical apparatuses should check with the manufacturer of the apparatus to confirm the effect of the electromagnetic waves used by the KOS, as the electromagnetic waves may affect their operations..


#### TECHNICAL SPECIFICATIONS

				2WD		
			1.5-litre			
			5MT 4AT 7-seater			
			NC1WLNMHRVS	NC1WLRHHRVS	NC1WXRPHRVS	
Dimension & Weight			NCIWLNMHRVS	NCIWLRHRRVS	NCIWXRPHRVS	
	•			/ 505		
Overall length Overall width		mm	4,595			
		mm		1,790		
Overall height		mm	1,750			
Wheelbase mm				2,775		
Track	Front	mm	1,520			
Ground clearance	Rear	mm	220	1,510	225	
		mm				
Gross vehicle weig	ght	kg	1,840	1	,860	
Fuel System						
Fuel supply equip				ECI-MULTI		
Fuel tank capacity		litres		45		
Fuel consumption	(combined	cycle)	6.7L/100km	7.0L	/100km	
Engine						
Туре				4A91 (DOHC 4 Valve)		
Fuel type / octane			Unleaded (RON 90 & higher)			
Total displacemen	nt	сс	1,499			
Emission level				Euro 2		
Max. output		kW/rpm	77 / 6,000			
Max. torque		N·m/rpm		141 / 4,000		
Transmission						
Clutch			Single dry plate		-	
Gear ratio	1st		3.818	2.875		
	2nd		2.055	1.568		
	3rd		1.333	1.000		
	4th		0.969	0.697		
	5th		0.717	-		
	Reverse		3.500	2	.604	
	Final		4.812	4	.375	
Performance						
Max. speed*2		km/h		170		
Acceleration*3 0-1	100km/h	sec.	12.7		15.4	
Minimum turning	radius	m		5.2		
Steering						
Туре			R	ack and pinion with electrical power assi	st	
Suspension						
Front			MacPherson strut			
Rear			Torsion beam			
Brake						
Front			Ventilated Disc			
Rear			Drum			
Tyre						
Tyres			195/65R16		/55R17	

\*1: Measured by MITSUBISHI MOTORS CORPORATION. Your actual mileage will vary depending on how you drive and maintain your vehicle.
\*2: Acceleration values vary depending on equipment level.
Note: These specifications are subject to change without notice. Please consult your local MITSUBISHI MOTORS dealer/distributor for detailed specifications.

Manufacturer's Warranty: 3 year / 100 000km. Road Side Assistance: 5 year Unlimited Mileage. Service Plan: 2 year / 30 000km. Service Intervals: Every 15 000km / 1 year

#### DIMENSIONAL VIEWS



All measurements in millimetres

17 | 18